

### SECTION 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product Identifier

Trade Name CLEAN
Product Form Mixture
Product Code 10-10105

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of Product Alkaline Presoak

#### 1.3 Details of the Supplier of the safety data sheet

ChemQuest Inc. 21365 Hamburg Ave. Lakeville, MN 55024 (877)437-3478

infocq@chemquestinc.com

#### 1.4 Emergency telephone number

Emergency Number ChemTrec 1-800-424-9300

#### **SECTION 2: Hazards Identification**

#### 2.1 Classification of the substance

#### Classification

Hazard Code	Hazard Class	Hazard Category
H314	Skin corrosion/irritation	1B
H370	Specific target organ toxicity, single exposure	1
H373	Specific target organ toxicity, repeated exposure	2
H412	Hazardous to the aquatic environment, chronic toxicity	3

#### HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAEFTY PRACTICES

#### 2.2 Label Elements

### **GHS-US Labeling**

Hazard Pictograms (GHS-US)





# Signal Word (GHS-US): **Danger** <u>Hazard Statements (GHS-US):</u>

H314: Causes severe skin burns and eye damage

H370: Causes damage to organs

H373: May cause damage to organs through prolonged or repeated exposure

H412: Harmful to aquatic life with long lasting effects

#### Precautionary Statements (GHS-US):

P260: Do not breathe dust/fumes/gas/mist/vapors/spray

P264: Wash thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P273: Avoid release into the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P310: Immediately call a POISON CENTER or doctor/physician

P321: Specific treatment (see section 4)

P363: Wash contaminated clothing before reuse

### Safety Data Sheet

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P307+P311: IF exposed: Call a POISON CENTER or doctor/physician

P405: Store locked up

P501: Dispose of contents/container in accordance with local, state and federal authorities.

#### 2.3 Other Hazards

No additional information available

#### 2.4 Unknown acute toxicity (GHS-US)

No Data Available

#### **SECTION 3: Composition/Information on Ingredients**

#### 3.1 Substance

Not applicable

#### 3.2 Mixture

Ingredient Name	CAS#	Composition
Water	7732-18-5	>75%
Sodium Hydroxide	1310-73-2	5-10%
Nonylphenol, ethoxylated	127087-87-0	1-5%
Sodium Gluconate	527-07-1	1-5%
Tetrasodium ethylenediamine tetraacetate	64-02-8	1-5%

#### **SECTION 4: First Aid Measures**

#### 4.1 Description of first aid measures

First-Aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-Aid after inhalation IF INHALED. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Use artificial respiration and oxygen if needed. If irritation persists, seek medical attention.

First-Aid after skin contact IF ON SKIN. IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

Immediately rinse with plenty of water (for at least 15 minutes).

First-Aid after eye contact IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do – continue rinsing. Rinse immediately and thoroughly, pulling the eyelids well  $\,$ 

away from the eye (15 minutes minimum). If irritation persists, seek medical attention.

First-Aid after ingestion IF SWALLOWED. Rinse mouth. Do NOT induce vomiting. Dilute stomach contents by drinking

water. If vomiting occurs spontaneously, keep head below hips to prevent breathing vomit into lungs. Call physician immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/injuries Causes severe skin burns and eye damage. Causes damage to organs. May cause damage to

organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation May cause headache, nausea and irritation of respiratory tract.

Symptoms/injuries after skin contact Causes severe skin burns and eye damage.

Symptoms/injuries after eye contact Causes severe skin burns and eye damage.

Symptoms/injuries after ingestion May cause gastrointestinal irritation, nausea, vomiting, and diarrhea if swallowed.

Chronic symptoms May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of immediate medical attention and special treatment needed

No additional information available

### Safety Data Sheet

### **SECTION 5: Firefighting Measures**

#### 5.1 Extinguishing media

Suitable Extinguishing Media Alcohol resistant foam. Carbon dioxide. Dry powder. Water spray.

#### 5.2 Special hazards arising from the substance or mixture

Fire Hazard The product is not flammable. Explosion Hazard The product is not explosive.

Reactivity Concentrated solution contact with soft metals (e.g. aluminum) will produce hydrogen gas.

#### 5.3 Special hazards arising from the substance or mixture

Firefighting instructions Do not dispose of fire-fighting water in the environment. Exercise caution when fighting any

chemical fire. Use water spray or fog for cooling exposed containers.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures Ventilate area. Avoid breathing vapors, mist or gas. Spill should be handled by trained clean-up

crews. For personal protection see Section 8.

#### 6.1.1 For non-emergency personnel

Protective equipment Wear Protective equipment as described in Section 8.

Emergency procedures Contain the spill. Do not let product enter drains. Remove unnecessary personnel.

#### 6.1.2 For emergency responders

Protective equipment Wear Protective equipment as described in Section 8.

#### 6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or publics waters.

#### 6.3 Methods and material for containment and cleaning up

For containment Prevent entry to sewers and public waters. Contain any spills with dikes or absorbents to

prevent migration and entry into sewers or streams.

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place

in a suitable container for disposal in accordance with the waste regulations (see Section 13).

#### 6.4 reference to other sections

No additional information available.

### **SECTION 7: Handling and Storage**

#### 7.1 Precautions for safe handling

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Wear proper safety

equipment including chemically resistant gloves and safety glasses or goggles. Use with adequate ventilation. Wash thoroughly after handling. Do not get in eyes or on skin. Do not breathe mist or vapor. Do not swallow. Store between 50 F & 100 F. Keep separate from

incompatible materials.

#### 7.2 Conditions for safe storage, including and incompatibilities

Storage conditions Store locked up. Store in approved containers only. Keep container in a cool, well ventilated

place away from heat sources and incompatible materials (See Section 10.5). Keep container

tightly closed.

### 7.3 Specific end uses

No additional information

#### **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1 control parameters

No OSHA and ACGIH PEL's or TLV's for the listed ingredients of this product unless listed stated below:

Sodium hydroxide, CAS # 1310-73-2				
OSHA PEL (TWA)	OSHA PEL (STEL)	OSHA PEL (Ceiling)	ACGIH-TLV	

### Safety Data Sheet

2 mg/m3	Not Established	Not Established	2 mg/m3 (Ceiling)

#### 8.2 Exposure Controls

Personal protective equipment Protective safety glasses or goggles. Chemically resistant gloves. Protective clothing. Possibly

a face shield and or respiratory protection of the dependent type.

Hand protection Chemical resistant gloves.

possibility exists for eye or face contact due to spraying liquid or airborne particles.

Skin and body protection Wear long sleeves. Wear suitable protective clothing. Possibly a face shield.

Respiratory protection Where excessive vapor, mist, or dust may result, use approved respiratory protection

equipment.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1 Information on basic physical and chemical properties

Appearance Tinted Liquid
Color Red
Odor NA

Odor threshold No data available

pH 13.5

Relative Evaporation rate (butyl No data Available Melting point No data Available Freezing point No data Available No data Available **Boiling point** Flash point No Data Available Self ignition point No data Available Decomposition temperature No data Available Flammability (solid, gas) No data Available No data Available Vapor pressure Relative vapor density at 20° C No data Available Relative Density 1.079 g/ml Solubility Water soluble Log Pow No data Available Log Kow No data Available Viscosity: Kinematic No data Available No data Available Viscosity: dynamic Explosive properties No data Available Oxidizing properties No data Available **Explosive Limits** No data Available

#### 9.2 Exposure Controls

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Contact with reactive metals (e.g. aluminum) may result in the generation of hydrogen gas.

#### 10.2 Chemical Stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions

Corrosive in contact with metals. Contact with metallic substances may release flammable hydrogen gas. Contact with strong acids can create excess heat and cause spattering.

#### 10.4 Conditions to avoid

None known

### Safety Data Sheet

#### 10.5 Incompatible Materials

Avoid contact with: zinc, bases, copper, nickel, amines, ammonia, aluminum, chlorine, reducers, oxidizers, mercaptans, isocyanates, strong acids, light metals, copper alloys, acid chlorides, inorganic acids, inorganic bases, strong oxidizers, amphoteric metals, hydrogen peroxide, halogenated materials, and prolonged contact with alkali sensitive metals or alloys

#### 10.6 Hazardous decomposition products

Thermal decomposition can result in: phosphines, hydrocarbons, carbon oxides, sodium oxides, nitrogen oxides, organic compounds, and oxides of phosphorus

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Oral LD50: > 2000 mg/kg (rat) Calculated
Dermal LD50: > 2000 mg/kg (rabbit) Calculated
Inhalation LD50: > 5 mg/l (Dust/mist (Rat)) Calculated

Skin Corrosion/irritation Causes severe skin burns and eye damage
Serious eye damage/irritation Causes severe skin burns and eye damage

Respiratory or skin sensitization Not Classified
Germ cell mutagenicity Not Classified
Carcinogenicity Not Classified
Reproductive toxicity Not Classified

Specific organ toxicity single exposure Single exposure can result in damage to: respiratory system, eyes, and mucous membranes

Specific organ toxicity repeated exposure

Aspiration hazard

Symptoms/injuries after inhalation

See Section 4

Symptoms/injuries after eye contact

Symptoms/injuries after ingestion

See Section 4

Symptoms/injuries after ingestion

See Section 4

Chronic symptoms

Not Classified

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No Data

#### 12.2 Persistence and degradability

No Data

#### 12.3 Bioaccumlative potential

No Data

#### 12.4 Mobility in soil

No Data

#### 12.5 Other adverse effect

No Data

#### **SECTION 13: Disposal Considerations**

#### 13.1 Waste Treatment methods

Waste treatment methods Do not discharge to public wastewater systems without permit of pollution control authorities.

No discharge to surface waters is allowed without NPDES permit.

Waste disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Do not allow the

product to be released to the environment.

#### **SECTION 14: Transportation information**

### 14.1 UN number, proper shipping name, class and packaging groups.

**Domestic Ground Non-Bulk Shipments** 

### Safety Data Sheet

UN1824, SODIUM HYDROXIDE SOLUTION, 8, II

#### 14.2 Additional information

Not available

### **SECTION 15: Regulatory Information**

#### 15.1 Federal regulations

TSCA Inventory: The components of this product are listed.

SARA 311/312 Hazard category (40 CFR 370.2): Acute and chronic health hazard.

SARA 313 Toxic Release Reporting (40CFR Part 372): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

SARA 302 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

SARA 304 EHS Emergency Planning (40CFR Part 355): No listed substance known over 1.0% or over 0.1% that are carcinogenic.

CERCLA Section 102-103 HS Released Reporting (40 CFR part 302-102a): Sodium Hydroxide, CAS# 1310-73-2, RQ 1,000 lbs.

#### 15.2.1 International regulations

No Data

#### 15.2.2 National regulations

No Data

#### 15.3 State Regulations

#### California Prop. 65

Approximate quantities by weight

- Nitrilotriacetate, trisodium salt/ cancer/ CAS# 5064-31-3/ Trace
- Ethylene glycol (ingested)/ developmental/ CAS# 107-21-1/ Trace
- Ethylene oxide/ cancer/ CAS# 75-21-8/ Trace
- Ethylene oxide/ developmental, female/ CAS# 75-21-8/ Trace
- Ethylene oxide/ developmental, male/ CAS# 75-21-8/ Trace

### New Jersey Right to Know

Approximate quantities by weight

- SODIUM HYDROXIDE/ CAS# 1310-73-2/ 5-10% by wt.
- 2-BUTOXY ETHANOL/ CAS# 111-76-2/ 0.1-1% by wt.
- PROPYLENE GLYCOL/ CAS# 57-55-6/ 0.1-1% by wt.
- ETHYL ALCOHOL/ CAS# 64-17-5/ 0.1-1% by wt.
- ETHYLENE GLYCOL/ CAS# 107-21-1/ Trace
- ETHYLENE OXIDE/ CAS# 75-21-8/ Trace

### **SECTION 16: Other Information**

Other information	None
NFPA	
NFPA Health Hazard	3
NFPA Fire Hazard	0
NFPA Reactivity	1
HMIS	
Health	3
Flammability	0
Physical	1
Personal Protection	Χ

The information contained herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it

### Safety Data Sheet

relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.